



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**      **0075/3191/162/06/19/1859**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :**      **SHENZHEN HONGFU YA TRADE Co.,Ltd.**  
NO F069 6F,THE 1 TRADING SQUARE, CHINA SOUTH CITY, PINGHU,  
LONGGANG DISTRICT, SHENZHEN, GUANGDONG  
CHINA

**Description**

**PPE Type :**      *protective glove against mechanical risks, thermal risks, welding risks*

**Product reference :**      **2415**

**Article code :**

**Glove description :**      **16-inch Cowhide Leather Heat Resistant Gloves with Insulated Cotton and Polyester for BBQ and Welding**

**Available sizes :**      **11/XXXL**

**Pictures :**



OZERO		
2415		
EN388	EN407	EN420
3133X	433X4X	
EN12477 Type A		LOT:08/2018
SIZE-11/XXXL		
ADD:		
NO F069 6F,THE 1st Trading Square South City,pinghu,Longgang Shenzhen China		

**Reference standard :**

**Levels of performance / class of protection**

**EN 420:2003+A1:2009**

-

**EN 388:2016**

**3 1 3 3 X**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

**EN 407:2004**

**4 3 3 X 4 X**

**EN 12477:2001/A1:2005**

**Type A**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from JUNE 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

**Issued in Lyon by**  
**Maxence DREVET**  
Project Certification Manager

**Date of first issue :** 17 June 2019  
**End of validity date :** 17 June 2024



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



Original CTC

**SHENZHEN HONGFU YA TRADE Co.,Ltd.**

**MANUFACTURER'S TECHNICAL FILE TO THE  
PPE REGULATION 2016/425**

<b>Reference of the product</b>	<b>:</b>	<b>2415</b>
<b>Article code</b>	<b>:</b>	
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>JUNE 2019</b>

## IDENTIFICATION

Reference of the product : 2415  
Article code :  
Basic Model  
Technical file index : 01  
Last update : JUNE 2019

### **Manufacturer :**

SHENZHEN HONGFU YA TRADE Co.,Ltd.

NO F069 6F,THE 1 TRADING SQUARE, CHINA SOUTH CITY, PINGHU, LONGGANG DISTRICT, SHENZHEN, GUANGDONG

CHINA

tel : 0755-89631363

fax : 0755-89631360

### **Factory :**

Foshan Nanhai District Qingsong Leather Products Co.,Ltd.

(Liang'anwei Industrial Zone)No.7 Yanjiang Road, Xiabai Industrial Zone,Luocun, Nanhai District, Foshan City, Guangdong Province

CHINA

tel: 0757-86441357

fax: 0757-86437743

## GLOVE DESCRIPTION

### General glove description :

16-inch Cowhide Leather Heat Resistant Gloves with Insulated Cotton and Polyester for BBQ and Welding  
type of coating finish : no coating

### Visual description (picture back and palm sides) :



### Field of use

Welding, BBQ, Gardening

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)		
	Applicable	Covered by
§1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

### Available sizes :

Minimum length of glove (mm)	Sizes
405	11/XXXL

## **Glove constitution :**

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	2413-1	BLACK	COWHIDE LEATHER			1.0~1.2MM
	2413-2	GRAY	PALM REINFORCEMENT : COWHIDE LEATHER			1.0~1.2MM
Back	2413-2	GRAY	COWHIDE LEATHER			1.0~1.2MM
Lining	2413-3	WHITE	PALM LINING : POLYESTER	150g/m <sup>2</sup>	20gauges	
	2413-4	BLUE	CUFF LINING : COTTON	180g/m <sup>2</sup>	108*58	
	2415-1	SILVER	ALUMINUM FILM (NOT CONTACT)			0.3mm
Cuff	2413-2	GRAY	COWHIDE LEATHER			1.0~1.2MM
	2413-1	BLACK	LOOP : COWHIDE LEATHER			1.0~1.2MM
Binding	2413-1	BLACK	WELTED SEAM – COWHIDE LEATHER			1.0~1.2MM

## **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed for against mechanical risks, thermal risks, welding risks. It is a category II product.

## **GENERAL REQUIREMENTS**

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 2

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

## **SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS**

### **Mechanical hazard EN 388 : 2016**

<b>Protection offered</b>	<b>Performance levels</b>
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

## Thermal hazard EN 407 : 2004

Protection offered	Performance levels
Burning behaviour	4
Contact heat	3
Convective heat	3
Radiant heat	X
Small splashes of molten metal	4
Large quantities of molten metal	X

## Protective gloves for welders EN 12477 : 2001/A1 : 2005

		Abrasion resistance	Cut resistance	Tear strength	Perforation resistance	Burning behaviour	Contact heat
Minimum performance require	Type A	2	1	2	2	3	1
	Type B	1	1	1	1	2	1
Performance		3	1	3	3	4	3

		Convective heat: glove + cuff	Resistance to small splashes of molten metal	Dexterity
Minimum performance require	Type A	2	3	1
	Type B	–	2	4
Performance		3	4	2

In conformity with type A : Is recommended for applications without high dexterity

## TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	D180712445_1, D180406426_3, D180508333_2	
EN 388	D180712445_1	
EN 407	D180712445_1	

## MARKING - PACKAGING

### **Information printed on the glove :**

Logo of Manufacturer :

Logo 

Glove's reference : 2415

Article Code :

Size indicator


Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

### **Marking example :**



### **Method of marking on the glove :**

Stitch in the glove

### **Packaging :**

1 pair/polybag ,40 pairs of carton

### **PPE subject to ageing :**

Peremption period : 10 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

### **Declaration of conformity :**

Available with product.



## MEANS OF CONTROL

please find ISO 9001 certificate as individual document.

When do bulk the production each batch, we shall pick up some gloves from producing site randomly to test abrasion resistance, Convective heat, Cr VI or AZO DYE.... to control the quality to match the requirement of standard EN388, EN420, EN407, EN12477





## INSTRUCTION FOR USE

**SHENZHEN HONGFU YA TRADE Co.,Ltd.**

NO F069 6F, THE 1 TRADING SQUARE, CHINA SOUTH CITY, PINGHU, LONGGANG DISTRICT,  
SHENZHEN, GUANGDONG

CHINA

Glove reference : 2415

Article code:

User notice index : 01

Last update : JUNE 2019

Available sizes : 11/XXXL



### ***Glove description :***

16-inch Cowhide Leather Heat Resistant Gloves with Insulated Cotton and Polyester for BBQ and Welding

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### ***Applicable standards :***

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 2

Moreover, this glove has been designed for the following applications :

#### Application :

Mechanical hazard - EN 388 : 2016



**3 1 3 3 X**

Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

#### Application :

Thermal risk - EN 407 2004



**433X4X**

Levels of performance

Burning behaviour	4	(on 4 maxi)
Contact heat	3	(on 4 maxi)
Convective heat	3	(on 4 maxi)
Radiant heat	X	(on 4 maxi)
Small splashes of molten metal	4	(on 4 maxi)
Large quantities of molten metal	X	(on 4 maxi)

EN 12477: 2001/A1:2005 :

Type A : Is recommended for applications without high dexterity

### **Protection limit :**

*This glove doesn't give a protection for a temperature over 100°C.*

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.*

*This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.*

*The protection against risks or hazards which are not mentioned in this document is not warranted.*

*The levels of performance mentioned are only valid for the palm of the glove .*

*The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.*

*These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.*

*Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).*

*For gloves with different layers of material, the performance levels are warranted only for the whole glove.*

*This model can't be used for arc welding.*

*These gloves do not provide protection against electric shock caused by defective equipment or live working, and the electrical resistance is reduced if gloves are wet, dirty or soaked with sweat, this could increase the risk.*

*There is no standardised test method at present for detecting U.V. penetration of materials for gloves but the current methods of construction of protective gloves for welders do not normally allow U.V. radiation penetration.*

*With arc welding installations, it is not possible to protect all parts conducting the welding voltage against direct contact for operational reasons. The gloves doesn't protect against electrical risks due to defected equipment or moisture.*

*For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.*

### **Storage and cleaning notice**

*Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.*

### **PPE subject to ageing :**

*Peremption period : 10 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).*

### **Declaration of conformity :**

*Available with product.*